



Administrative Office of the Courts

Operations Division

Amendment #2 Request for Proposals Project # K20-0074-61C Security Upgrade for Hyattsville DC Commissioner

This Amendment is being issued to amend and clarify certain information contained in the above-named RFP. All information contained herein is binding on all Offerors who respond to this RFP. Specific parts of the RFP have been amended. The following changes/additions are listed below; new language has been underlined (ex. new language) and language deleted has been marked with a strikethrough (ex. ~~language deleted~~).

1. Modify the following in Section 2.1 (Purpose and Summary):

This project entails the removal of the existing surveillance system and the installation of a three-camera standalone surveillance system, an intercom system with door release for all Commissioners' desks and (5 6) 24-inch monitors (wall mounted).

The security system should be a stand-alone system, connected to no other systems.

2. Modify the following in Section 2.2 (Contractor Minimum Requirements):

The surveillance cameras will capture video at 1080p resolution.

The surveillance monitors will display at 1080 resolution.

Full motion monitor wall mounts.

The NVR will have 30-day minimal storage capacity

New Monitors shall use existing receptacles.

~~system will support 1080p resolution~~

3. Modify the following in 2.3 (Statement of Work/Deliverables):

- c. *In the Commissioner's Lobby*, (1) existing camera will be removed and replaced. (1) intercom system ~~with door release~~ will be installed next to the commissioners' entrance door 5 feet from the floor.

Issued by: Christos Bazekis
Procurement Officer
March 3, 2020