



**ADMINISTRATIVE
OFFICE OF THE COURTS**

EDUCATION
GOVERNMENT RELATIONS
INTERNAL AFFAIRS
JUDICIAL INFORMATION SYSTEMS
OPERATIONS
PROGRAMS

**Amendment #4
Request for Proposals
K16-0056-70**

Acoustical Wall Panel Installation- Glen Burnie

This Amendment is being issued to amend and clarify certain information contained in the above named RFP. All information contained herein is binding on all Offerors who respond to this RFP. Specific parts of the RFP have been amended. The following changes/additions are listed below; new language has been underlined and language deleted has been marked with a ~~strikeout~~ (ex. ~~language deleted~~)

1. Add Section 2.4.6 Wall Panel Specifications

1. Fabric: As selected by offeror
2. Composition: Fiberglass
3. Finish: As selected by agency.
4. Color: To be chosen post award
5. Panel Heights: 5 ft. minimum
6. Thickness: 1”
7. Room/Corner Wall Test: NFPA 265 (UBC 8-2); Pass.
8. Edge Profile: Square; both vertical edges for interface with plastic “H” spline for installation.
9. Flame Spread: ASTM E84; composite rating 25 or less flame spread/200 or less smoke developed.

10. Noise reduction coefficient (NRC): ASTM C 423; Classified with FM label on product carton, 0.90 or better
11. Dimensional Stability: Standard – space must be enclosed with HVAC systems operating at all times.

Issued by: Whitney Williams
Procurement Officer
March 7, 2016